









(this certificate must be hung up in the boiler house)



FORM VI

No.: CA032016-20170000046

GUJARAT BOILER INSPECTION DEPARTMENT CERTIFICATE FOR USE OF A BOILER

(regulation 389)

Registry No.Economiser of: GT 5703 Type of Boiler: Package Boiler Rating: 58.00 m² Place & Year of Manufacture :Gandhinagar -2007 Maximum Continuous Evaporation: 2,800.00 kg/hr Name of Owner: Gandhinagar District Co-Operative Milk Producers Union Limited Situation of Boiler: Madhur Dairy Sector-25, K road, GIDC Electronic Estate opp hillwood school Repairs: Nil Remarks : Nil Hydraulically tested on 19/05/2016 to 16.00 kg/cm²(g)

I hereby certify that the above described boiler permitted Joshi/Assistant Director of Boiler under the provisions of Section 7/8 of the Boilers Act, No. V (Amended 2007) of 1923, to be worked at a Maximum Pressure of 10.55 kg/cm²(g) for the period from 20/05/2016 to 19/05/2017.

The loading of the 24.5 mm safety valve is not to exceed 10.55 kg/cm²(g) CWS SPSLSV not to exceed 10.55 kg/cm² Cws F=16 mm, R=16.5 mm thick.

I Further certify that the main steam pipe was tested hydraulically to a pressure of -kg/cm² last on

Fees Rs. 2,700.00 paid on - 29/04/2016 V.No. - 00409

Dated at Ahmadabad this 19 day of May 2016

OPEN UP BOILER FOR CLEANING AFTER EVERY 4 WEEK AND KEEP RECORD

> Counter Signed Director

Assistant Director of Boiler

see reverse for "conditions"



Conditions

(Reverse of Form VI)

- 1.No structural alteration, addition or renewal shall be made to the boiler otherwise than in accordance with section 12 of the Act.
- 2. Under the provisions of Section 8 of the Act, this certificate shall cease to be in force:
 - (a) on the expiry of the period for which it was granted; or
 - (b) when any accident occurs to the boiler, or
 - (c) when the boiler is moved the boiler not being vertical boiler the heating surface of which is less than 18.58 sq. meters or a portable vehicular boiler; or
 - (d) save as provided in section 12 of the Act, when any structural alteration, addition or renewal is made in or to the boiler; or
 - (e) if the competent authority in any particular case so directs when any structural alteration, addition or renewal is made in or to any steam-pipe attached to the boiler; or
 - (f) on the communication to the owner of the boiler of an order of the competent authority or competent person prohibiting its use on the ground that it or any boiler component attached thereto is in a dangerous condition.

Under section 10 of the Act, when the period of a certificate relating to a bolier has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the certificate be entitled to use the boiler at the maximum pressure entered in the former certificate, pending the issue of orders on the application but this shall not be deemed to authorize the use of a boiler in any of the cases referred to in clauses (b),(c),(d),(e) and (f) of sub-section (1) of section 8 occurring after the expiry of the period of the certificate.

- 3.The bolier shall not be used at a pressure greater than the pressure entered in the certificate as the maximum pressure nor with the safety valve set to a pressure exceeding such maximum pressure.
- 4.The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatible with safe working.
 - NB :- Detail regarding this boiler are record in Registration Book No. <u>GT 5703</u> of which is copy may be obtaind of payment on application to the Director