



Sr. No.	Recommendation	Response (Yes/No/NA)	Supporting Materials
327	Mandate that the same inspector will not inspect the same establishment twice consecutively	Yes	Copy of the Office Order

URL: http://www.gpcb.gov.in/Portal/News/128_1_Sm_Insp.pdf



GUJARAT POLLUTION CONTROL BOARD
"Parayavaran Bhavan"
Sector 10 A, Gandhinagar-382010

Office Order

Sub: Staff/ Officer visiting Industry

During the inspections/ visits carried out by the inspecting officers and staff of the Regional Offices and Vigilance Offices in addition to the inspections/ visits carried out for specific purposes like applications for CTE & CTO (CC&A), Closure Directions, Revocations etc. in their area of jurisdiction are hereby directed that during the above mentioned visit/ inspection of industrial establishment, any officer will not visit/ inspect the same establishment twice consecutively except in specific cases or in case of specific instructions from higher authority.



(Hardik Shah)
Member Secretary

No. GPCB/P-3/102(2)/ 335824

Date: 29 DEC 2015

Issued to:

1. All Regional Officers and unit Heads.....For implementations of above
2. Office of the Chairman, GPCB
3. Office of the Member Secretary, GPCB
4. IT Branch..for necessary action please
- ✓ 5. Select File