

Sr. No.	Recommendation	Response (Yes/No/NA)	Supporting Materials
99	Design and implement a system that allows online application, payment, tracking and monitoring without the need for a physical touch point for document submission and verification	Yes	

URL: <https://gpcb.xn.gujarat.gov.in>  
<https://gpcb.xn.gujarat.gov.in/login.aspx>



The screenshot shows the Gujarat Pollution Control Board (GPCB) XGN - Xtended Green Node website. The page features a green header with the GPCB logo and navigation tabs for various services like 'Application for New ID/PWD', 'TPAV', 'Fast Track Renewal', and 'Self Certification Format'. A central login form is visible with fields for 'XGN - ID' (containing '48850') and 'Password'. Below the login form, there are statistics for 'Month : May-2016' and 'Today's Statistics'. The 'Month : May-2016' statistics include: Industries = 27948 & Hospitals = 32402, [R=18519 : O=5108 : G=4294] [S=23192 : M=1622 : L=3134], [Air=22302 : Wat=27383 : Haz=21074], ONL Applications = 961 & e-Outwards = 3285, [NOC=348 : CCA=587], Consents GRT/REJ/AMD = 964, [GRT=870 : REJ=94 : AMD=0], eReturns : W.Cess = 4743 \* Hazd = 16151 e-PATRAK = 235806, Inspections = 4077 & Samples = 2039, Legal Notices = 722, Closures = 87, Revocations = 207. The 'Today's Statistics' include: Industries = 1182, Tech = 167, Lab = 37, Hospitals = 106, Online Applications = 11, [NOC=4 : CCA=7], e-Outwards = 77, Consents GRT/REJ=67, [GRT=58 : REJ=9 : AMD=0] Water Cess, e-Return = 39, Inspections = 29 Samples = 4, Legal Notices = 12, Closures = 2, Revocations = 9. The footer contains 'Copyright 2014 Office Copyright Group. All rights reserved.', 'IFP Industry : 20', and 'XGN Hits : 14244576 N I C'.



Windows Internet Explorer  
 https://gpcbxgn.gujarat.gov.in/IND/ONL\_Application.aspx?gpcb\_id=11361&AppType=NEW&submenu=Online+NOC-CCA+Application

Ganesh Metal Industries Gujarat Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry: Ganesh Metal Industries,Plot No: Phase No: ,18,19,AMAR IND.E.STATE,AHMEDABAD,ABD,ADC,NRD RO: ABD

11361	A/W/H	CTE Val	CCA Val	Last CTE Det	CTE-76630	22/02/2021	Last CCA Det	AW-77697	28/02/2021	RCN Dt
Small	<input checked="" type="checkbox"/>	CEE-76630,22/02/2021	28/02/2021	CTE-Inw Det	102525/CEE	GRT/C	CCA-Inw Det	105159/COW	GRT/C	

**NOC** **CCA** Select 7 Yrs. Validity LINK ID:102525-CEE-GRT-CTE-76630-22/02/2021-5

Select

CTE-Ammdment

CTE-Change Product.Mix

CTE-Reconsider

Application Date:	08/06/2016	Late Penalty :	<span style="background-color: red; color: black;">[REDACTED]</span>	Draft	Save
No. of Plants & Incenerators:	1 & 0	Amt per Year :			
Addl. Project Cost(Crores)	0 Prv. 0.14 Crores	Payable Amt :			
AIR (Sector):	Select	0 Fees Yrs			
Water (klpd):	0	0 * 7 = 0			
HAZ (Sector):	Select	0 * 7 = 0			
No. of Hazd Waste Catg:	0	0 * 7 = 0			
View PDFs Files:	Select				
On East:		On North:			
On West:		On South:			

Any relevant information to be mentioned in the A/W/H/NOC Form

XGN Xtended Green Node 180.215.224.132 (IND) 08-Jun-2016 N I C

100%



Internet Explorer provided by HCL Infosystems Limited  
https://gpcbgn.gujarat.gov.in/IND/ALL\_RTGS\_Payments\_IND.aspx

### Gujarat Pollution Control Board

MPW!!! PCB ID Logout Menu

Shree Hari Gurukrupa Moulding Works  
All Types of Payments

Consent Fees LAB Miscellaneous WaterCess

48217 - Shree Hari Gurukrupa Moulding Works (M)

RTGS/NEFT D.D Payments

Fees Detail : Air =10000 , Wat =5000 , Haz =0 , Haz Was =0 , Late Fee =0 / Total Amt = 15000

Enter UTR No. :  Upload RTGS Receipt:  Browse...

Bank Code	Branch Name	Remarks	Payable Amt	Bank Charges	Challan
Ahd. Mer. Co. Bank L	Dudheshwar		15000	0	<input type="button" value="Save"/>

I declare that I have submitted full and complete documents and information for my application which are in conformity with the applicable acts. I understand that, any delay in the process of application on account of incomplete and incorrect information shall be my responsibility.

Print Form : AIR-I WAT-D HAZA CTE/CCA Receipt Select Forwarding Letter

XGN-Extended Green Node 164.100.53.42 (IND) 11-Feb-2016 N I C 100%