

XGN-Online Single window system

For CTE/CCA application, Payment, Tracking of application, Payment, Approvals and e-signed


:: Pollution Control Board :: - Google Chrome

xgn.mp.nic.in/Login.aspx



M.P. Pollution Control Board

XGN - Xtended Green Node



[Consent Register](#) **TPAV**

Useful Links

- [CPCB](#)
- [MoEF](#)
- [Govt of India\(dial.gov\)](#)
- [Dept of Environment](#)
- [MPPCB](#)



n MP State Data Centre

Industries need to make Online Payment through CREDIT/DEBIT Card/Net Banking

1. Make Online Payment through NET Banking
2. Print NET Payment Receipt from Online Application.

NO PHYSICAL-SUBMISSION of Applications!!!

Other Services (Login)

XGN-Login

Top 5 R.O. Performers

- RO-Satna
- RO-Gwalior
- RO-Singrauli
- RO-Shadhool
- RO-Katni

Top 2 Lab Performers

- Lab-Indore
- Lab-Gwalior


Top 3 Unit Head

- UNH-Katni
- UNH-Dhar
- UNH-Sagar

*** Notification/Circulars (▼)

Citizen Centric Features

- [XGN Statistics](#)
- [Search Jobs](#)
- [Public Complaints](#)
- [Blood Availability](#)
- [XGN Guidelines](#)
- [Clinic/Open Houses](#)



Select

Application Status

BMW Authorization Order ?

Closure/Revocation Orders?

NOC/CCA Consent Order ?

Outward Order ?

[NOC=216 : CCA=652]

Consents GRT/REJ/AMD = 781

[GRT=721 : REJ=60 : AMD=0]

eReturns : W,Cess = 433 * Hazd = 1394 e-PATRAK = 13933

Inspections = 1157 & Samples = 474

Legal Notices = 0, Closures = 0, Revocations = 0

Consent Granting Procedure

Documents reqd for Application

Inspection Procedure

February-2016

Today's Statistics

Industries = 131 , Tech = 50

Lab = 16 , Hospitals = 8

Online Applications = 18

[NOC=8 : CCA=10]

e-Outwards = 0

Consents GRT/REJ=8

[GRT=8 : REJ=0 : AMD=0]


Water Cess e-Return = 0

Inspections = 6

Samples = 0

Copyright 2014 Office Copyright Group. All rights reserved.

Hits : 1834569



XGN-Online Single window system

APPLICATION FOR CTE/CCA FOR AIR, WATER, HAARDOUS WASTE

Tracking Manager M.P. Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry/PRJ/Local Body :	Bansal Engineering Works, Raisen	Prv Consent :	COW-GRT, AW-28827, 17/08/2017
Electricity Company Name/Address	MPMKVVCO. Ltd., Mandideep, Distt. Raisen	Save	

Old Name of Industry :	No. of Pumps :
Location Address: D-29 , D-29, New Industrial Area - II, Satlapur, Mandideep. , D-29, New Industrial Area - II, Satlapur, Ma	1
Town/Village : Mandideep PIN: 462046	Tubewells/Borewells : 0 / 1
*District / Tahsil / SIDC : Raisen Goharganj R.W Obedullaganj (Mandideep)	Latitude/Longitude : 22.0000 / 77.0000
Regd. Office Address: D-29, New Industrial Area - II, Satlapur, Mandideep.	Capacity of ALL : 5 HP
Landline : 9425009260 Mobile : 9425009260	Nationality : INDIAN
Email : mukesh2215@yahoo.in	WEB Site URL :
Contact Person : Mukesh Bansal	Project Cost as on Dt : 3.5 3.5 Lakhs
Constitution Type : Partnership #Employees: 50	Production Date : 18/08/2011
*Applicant Name with Designation : Mr. Mukesh Bansal	Plant Commission : 18/08/2010
Consumer No. : (Electric Meter)	On North : Private Land
On East : Plot No. 82	On South : Side Road
On West : Plot No. 17 to 23	

1. TSDF Name : NOT Regd with any TSDF	9. Ultimate Receiving Body: Nil
2. CETP Name : NOT a CETP Member	10. Hazd Wst Storage ? : <input type="radio"/> Yes <input checked="" type="radio"/> NO
3. Licence SSI/IEM No.: 230471200628	11. Critical Polluted Area : No
4. Area in Sq Mtr: Plantation 300 Open 6000	12. Dist - Residential : 2500 Mts
5. Source of Water Supply: Bore well	13. Dist - Eco Sensitive : 3500 Mts
6. Fresh Water Consumptn(KLPD): 2.5 Industrial 1.5 Domestic	14. Dist - Highway : 2000 Mts
7. Waste Water Generation: 0.5 Industrial 0.86 Domestic	15. Premise Area-SqMtr : 16675.000
8. Waste Wtr Discharge Pt: Septic Tank	16. Does it fall in ? In Industrial Estate
	17. Env. Clearance ?? <input type="radio"/> MOEF <input type="radio"/> SEIAA <input checked="" type="radio"/> NA <input type="radio"/> ECC
	18. Applicability of CRZ : <input type="radio"/> Yes <input checked="" type="radio"/> NO

XGN-Xtended Green Node
164.100.6.200 (IND)
11-Feb-2016 N I C

XGN-Online Single window system

APPLICATION FOR CTE/CCA FOR AIR, WATER, HAARDOUS WASTE

Tracking Manager M.P. Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry: Bansal Engineering Works, Raisen,D-29,D-29, New Industrial Area - II, Satlapur, Mandideep.,Mandideep,RAI,GOH,180 RO: BPL

32337	A/W/H	CTE Val	CCA Val	Last CTE Det		Last CCA Det	AW-28827	17/08/2017	RCN Dt
Small	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>		17/08/2017	CTE-Inw Det	0/	CCA-Inw Det	74565/COW	GRT/C	

CTE CCA

CCA-Renewal

Select

CCA-Expansion

CCA-Re Apply

CCA-Renewal

LINK ID: 74565-COW-GRT-AW-28827-17/08/2017-3

Application Date :	11/02/2016
Sector of the Industry :	Miscellaneous-Orange
Catg / Scale of the Industry :	Orange Small 1 Yrs. Validity
Total Investment(Crores)	0 Prv. 0.04 Crores
Air/Water/Hazrdous :	<input type="checkbox"/> / <input type="checkbox"/> / <input type="checkbox"/>
View PDF's Files :	Select
NOC-CCA Fees :	
Hazd Fees :	0
Total Fees:	Calculate Save

For Rental Premises & Mining Cases, U can EDIT Fees after clicking on CALCULATE

Industry ->Investment(In Crores) / For MINES (Area in Hectares)

DGSet/Local Authority Fees		
More Than	To (Cr)	Fees
0	0.5	650
0.5	3	4550
3	10	19500
10	50	26000
50	100	39000
100	200	52000
200	500	55000
500	1000	60000
1000	9999	125000

Details of Previous Consent No & Validity & Any Changes, if ANY

Any relevant information to be mentioned in the A/W/H/NOC Form

XGN-Xtended Green Node 164.100.6.200 (IND) 11-Feb-2016 N I C

XGN-Online Single window system

ONLINE SCRUTINY

Tracking Manager M.P. Pollution Control Board

Sample **CTE-CCA** **PCB Id** Logout Menu

ID	RO	Status	Law Date	QUE	Type	Amf	Click on A,W,H for Query- UNUpdated A,W,H	#PDF	SIDC
29921	166122	BPL	11/02/2016	AW	1-COW	1500	29921-Shubh Stone Crusher (Prop. Shubhendra Singh), Bhopal(S)	4	--

Query By RO - Previous QUERY Msg By HO to RO PURPOSE Reply From Industry

Send To Industry Back

WOW !!! Chk List LEG - 0 App Prf A-3,ETP,H-1, Prod-1 F.L Dues Prv Queries Directors Forms Consents Monthly Patrak=0 Stack,Wat,Hazd,Pro

Application Date :	11/02/2016	AW-29941,04/02/2016	
Appln. Type & Validity Yrs:	CCA-Renewal	1	
Capital Investment(Crores)	0.1	10 LAKHS	
Sector of the Industry :	Stone crushers		
Air/Water/Hazrdous :	<input checked="" type="checkbox"/> / <input checked="" type="checkbox"/> / <input type="checkbox"/>		
Catg/Scale of the Industry:	Red	Small	
NOC-CCA Fees:	1500	Hazd Fees :	0 Total Fees: 1500
Allow Updation (A,W,H,P,R) : <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> upto <input type="text"/> SMS			
Msg for RO:	<input type="text"/> Send		
I here by certify that Catg, Scale, FEES, PDFs Docs & Application Data are correct : <input type="checkbox"/>			

Uploaded PDFs-6 Not Uploaded

- 11/02/2016-Previous Consent-Reject / CCA Order / NOC Order [0]
- 11/02/2016-Plan LavOut + Site Plan [0]
- 11/02/2016-Local Body / GramSabha NOC [0]
- 04/02/2015-Air Pollution Control Measures-Details [1]
- 04/02/2015-Details of Mfg Processes & Diagrams [1]
- 04/02/2015-Land Possession Documents [0]

2:52 PM 2/11/2016

XGN-Online Single window system

ONLINE PAYMENT

Tracking Manager

M.P. Pollution Control Board

All Types of Payments

MPW!!! PCB Id Logout Menu

17567 - Sealwel Polymers (S)

Consent Fees LAB Miscellaneous WaterCess

to make Online Payment thru Credit / Debit Card / Net Banking click only e-Pay button

Fees Detail : NOC-CCA =42000, Haz Waste =0 / Total Amt = 42000

e-Pay

xgn.mp.nic.in/IND/ePayment.aspx - Google Chrome

xgn.mp.nic.in/IND/ePayment.aspx

Make Online Payment (Net Banking)

17567 - Sealwel Polymers (S) -IND

Application: 155632-COW-30/01/2016, Act:A,W	AMOUNT	42000	Make Payment
---	---------------	-------	---------------------

Status of e-Payment

Close



XGN-Online Single window system


ONLINE PAYMENT

BillDesk - All Your Payments. Single Location - Google Chrome

https://pgi.billdesk.com/pgidsk/ProcessPayment;jsessionid=0000a77ycSvVJfnwLZ8qA8PATCA:17lmlnhca?wpage=Lt2NBxbF17o1NScvc14Tz5B0

- Credit Card
- Debit Card
- Debit Card + ATM PIN
- Internet Banking

Pay by Credit Card



Card Number

Enter card number

Expiration Date **CVV/ CVC**


Month Year

Card Holder Name


Enter card holder name

Merchant Name
MP Pollution Control Board

Payment Amount: ₹ 1000.00

 everywhere you want to be

Make Payment

Powered by 
All your payments. Single location.

11:45
09-07-2015

XGN-Online Single window system

ONLINE E-SIGNED APPROVAL

:: Pollution Control Board :: - Google Chrome
xgn.mp.nic.in/Login.aspx



M.P. Pollution Control Board

XGN - Xtended Green Node



[Consent Register](#) **TPAV**

Useful Links

- [CPCB](#)
- [MoEF](#)
- [Govt of India\(dial.gov\)](#)
- [Dept of Environment](#)
- [MPPCB](#)



*** Select File (1) ***

Select

Other Services (Login)

Outward Order

[Consent Granting Procedure](#) [Documents reqd for Application](#) [Insption Procedure](#)

XGN-Login

Top 5 R.O. Performers

- RO-Satna
- RO-Singrauli
- RO-Shadhol
- RO-Gwalior
- RO-Katni

Top 2 Lab Performers

- Lab-Indore
- Lab-Jabalpur

Top 3 Unit Head

- UNH-Satna
- UNH-Bhopal
- UNH-Shadhol

Citizen Centric Features

- [XGN Statistics](#)
- [Search Jobs](#)
- [Public Complaints](#)
- [Blood Availability](#)
- [XGN Guidelines](#)
- [Clinic/Open Houses](#)



Month : January-2016

Industries = 13206 & Hospitals = 3360
[R=6894 : O=3965 : G=2347] [S=11762 : M=960 : L=484]
[Air=12989 : Wat=12391 : Haz=2815]
ONL Applications = 879 & e-Outwards = 115
[NOC=219 : CCA=660]
Consents GRT/REJ/AMD = 763
[GRT=702 : REJ=61 : AMD=0]
eReturns : W.Cess = 398 * Hazd = 1386 e-PATRAK = 13625
Inspections = 1217 & Samples = 457
Legal Notices = 0, Closures = 0, Revocations = 0

Today's Statistics

Industries = 201 , Tech = 65
Lab = 23 , Hospitals = 26
Online Applications = 12
[NOC=2 : CCA=10]
e-Outwards = 0
Consents GRT/REJ=20
[GRT=20 : REJ=0 : AMD=0]
Water Cess e-Return = 1
Inspections = 5
Samples = 0

Copyright 2014 Office Copyright Group. All rights reserved. Hits : 1756826 **N I C**



XGN-Online Single window system

Online eSIGNED Consent Approval (Public Domain + stake holder)



Consent Order

M.P. Pollution Control Board - Indore
Scheme No. 78, C-11, Plot-2
Aaranya, Vijay Nagar, Indore
Indore
Tele : 0731-4035618

ORANGE-SMALL	CTE-Fresh	VALID UP TO: 07/02/2021	CONSENT NO: ***	PCB ID: 65269
--------------	-----------	-------------------------	-----------------	---------------

NO: /MPPCB/IND

Dated: 08/02/2016

To,

M/s. Fun Trips & Events Private Limited,
Khasra No. 5 & 6, Gram - Akbarpur, Teh. Kasrawad,
Dist : Khargone (M.P.) Tal : Kasrawad, SIDC : Not In SIDC

Subject: Grant of Consent to Establish under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 under section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your Consent to Establish Application Receipt No. 143244 Dt. 07/01/2016 and last communication received on Dt. 31/12/2015.

Without prejudice to the powers of this Board under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish for setting up of an industrial plant/activities at Khasra No. 5 & 6, Gram Akbarpur, Teh. Kasrawad, Khargone, Phone No. 982602042

SUBJECT TO THE FOLLOWING CONDITIONS :-

- Location:** Khasra No. 5 & 6, Gram Akbarpur, Teh. Kasrawad, Dist.- Khargone (M.P.) Contact No. 9826020442
- The capital investment in lakhs:** 290
- Product & Production Capacity:**

Product	CTE Qty/Year	Applied Qty / year
Resort	22,000 NOS	22,000 NOS

The consent (for operation) as required shall be granted to your industry after fulfillment of all the conditions mentioned above. For this purpose you shall have to make an application to this Board in the prescribed proforma at least two months before the expected date of commissioning of your industry. The applicant shall not operate the unit without obtaining consent for operation from the Board and shall not bring in to use any out let for the discharge of effluent and gaseous emission.

Enclosures:-

- Conditions under Water Act
- Conditions under Air Act
- General conditions

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent at out fall of the unit shall not exceed 0.000 KL/day, and the daily quantity of sewage at out fall of the unit shall not exceed 11.000 KL/day

2. Trade Effluent Treatment:-

The applicant shall provide comprehensive effluent treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 - 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD 3 Days 20°C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

The applicant shall provide comprehensive sewage treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 - 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD 3 Days 20°C	Not exceed	30 mg/l.

RAM KISHOR GUPTA
Regional Officer
e-Signed On 10/02/2016 13:54:02
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 63051MF121

APPLICANT CAN VIEW THE STATUS OF THE APPLICATION

The screenshot shows a web browser window with the URL `xgn.mp.nic.in/MainPage.aspx`. The page header includes the user name **Sekhar Mishra (Hadaha Sand Mine)**, the ID **IND : 96954**, and the **M.P. Pollution Control Board** logo. A navigation bar contains tabs for **IND**, **LAB**, **ACC**, **H₂W**, **MSW**, **WTC**, **RET**, and **OMS**. On the right side, there is a menu with items: **eTALK**, **Messages**, **Vacancies**, **View Inspection**, **A.P. Competitive**, **STATUS / ALERTS** (circled in black), **Xgn Terminology**, **Pending Amounts**, **Queries & Replies**, **Online Data Interface**, **Change Password / e-Sign**, **Legal / Orders related** (highlighted in green), and **Print Consent Orders**. A yellow arrow points from a text box at the bottom to the **STATUS / ALERTS** menu item. The text box contains: **The status of the process of application of CTE/CCA can be viewed at any moment.** In the center of the page, a large box contains the text: **Complexity of the Problem is reduced by the Simplicity of the Solution**. The Windows taskbar at the bottom shows the time as 15:36 on 23-05-2016.

THE STATUS OF APPLICATION

Browser: :: Pollution Control Board :: - Google Chrome
URL: xgn.mp.nic.in/ACT/Query/Status_of_Application.aspx

M.P. Pollution Control Board

Sekhhar Mishra (Hadaha Sand Mine) MPW!!! PCB Id Logout Menu

**** Status of your Inward Applications for CTE & CCA **** Back

Sr.	Inw ID	Inw Dt	Inw Type	Inw Status	Insp ID	Fees	Consent No	Valid UpTo	Out No	Out Dt	Grant_Dt
1	208816	10/05/2016	CCA-Fresh	Scrutiny @ UnitHd	250333	21000			0		

**** Status of the Ongoing Application, NOT yet ACCEPTED ****

ID	Emp	At	Inw Dt.	QUE	Type	Industry Name	SIDC	Rep Dt.	Qry Dt.	TAL	Days

XGN-Xtended Green Node 210.212.156.35 (IND) 23-May-2016 **N I C**

Status of File is presently with Unit Head at Head Office.
Once it is granted, the last column shows the status as "Grant".

Windows Taskbar: 15:52 23-05-2016