

Q 24


In Madhya Pradesh there is a **combined application form** under Water Act, 1974/Air Act, 1981/Hazardous waste rules, 2008. Consent to operate is provided as a service through the online single window system in a manner that allows online application filing, payments, tracking of status, approvals and issuance of the certificate at the single window portal.

Single Window System (SWS) Architecture

In MP the services of various departments are provided through Single Window Portal. The architecture is built in a way that a user has to register himself only once at the Single Window Portal and he can avail the services of various state departments. There is a mechanism through which the departments are connected with Single Window Portal through the back end integration. The user does not have to register separately at various different portals. When the user applies for an approval / service of other departments through SWS portal, the user is auto – authenticated through the SWS portal and directly lands at the application form of the concerning dept., his basic credentials (like name, mobile no. email id, office address, etc.) are passed through the backend to the concerning department and are auto populated in the application form. The user can track the status of his application & is able to receive the final approval certificate at the SWS portal itself.

Step 1:

Login to the SWS Portal <http://www.invest.mp.gov.in/home.action>



Step 2:

A new Investor will have to first fill in the CAF A details. After that we can avail any of the approvals offered by the SWS portal by clicking on the approval name

The screenshot shows the 'Intention To Invest' page. At the top, it says 'MP TRADE & INVESTMENT FACILITATION CORP. LTD. SINGLE WINDOW SYSTEM'. Below that, a welcome message for 'Sonali Kohar' with proposal ID 'CIE6970' is visible. The main content area is titled 'Intention To Invest' and contains an 'Intention Summary' table with columns for Proposal Id, Sector, Sub Sector, Intention Status, and CAF - A Details. The 'Add CAF - A Details' link in the last column is circled in red. Below the summary is a table for 'Investor' details, which currently shows 'No Data Available'. At the bottom, there is a 'Communication' section with a text input field and a 'Submit' button.

The screenshot shows the 'Dashboard' page. At the top, it says 'MP TRADE & INVESTMENT FACILITATION CORP. LTD. SINGLE WINDOW SYSTEM'. Below that, a welcome message for 'Vireet S Jaan' with proposal ID 'END1803' is visible. The main content area is titled 'Dashboard' and contains a table with columns for Approval Name, Application Current Status, Application Progress, and Certificate. The 'Consent to Operate (Under Water Act/ Air Act/ Hazardous Waste Rules)' link in the first column is circled in red. The table lists various approval types such as Land Under AKVN, Water Connection by AKVN, Building Permission by AKVN, etc.

Step 3:

Online Application Filing

Adani Pench Power Ltd. M.P. Pollution Control Board

CLEAR OFF Pink Cases -> Action=YES, Updation Reqd. MPW!!! PCB Id Logout Menu

Print Form : CTE/CCA Receipt: EL PCB Id : 107305 Comm Dt: 01/01/2016 Prodn Dt: 01/01/2020
NOC Valid upto: 02/01/2020 CCA upto: 02/01/2020 Save

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	YES	---
2	Open	Update Constitution/Director Details	YES	---
3	Open	Update Stacks/ETP/HAZD/Products-Raw Material/e-SEND	YES	Records:0-0-0
4	Open	DownLoad/Merge/Upload Applicable / STREAMLINE PDFs	---	-999
5	Open	One-Time Master Data to be Updated by Units !!	YES	---
6	Open	PCB Queries raised, but NOT Replied !!!	---	---
7	Open	e-File Last Month Patrak/Return (Prodn,Electricity,Fuel-Water Consmtn,Emmission)	N.A	NIL
8	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	N.A	NIL
9	Open	Please File Your e-Return of Water - Cess	N.A	1900
10	Open	W.C Outstanding Principal + Interest (Calculate first, then Pay Off)	N.A	0-0
11	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	N.A	N.A
12	Open	Entry of Sample Parameters PERMISSIBLE Values (AS per LAST CONSENT)	N.A	-1-1
13	Open	Pls Upload Environment Statement , Form -V	N.A	-999
14	Open	e-File Hazd Waste Monthly & Yearly Return (Last Month)	N.A	NIL
15	Open	Last Month Hazd. Waste MANIFESTS NOT prepared thru XGN	N.A	---

Apply Status / Consent Order
New Application

Waiting for.xgn.mpn.in... 210.212.158.170 (IND) 03-Jun-2016 N I C

Adani Pench Power Ltd. M.P. Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry/PRJ/Local Body : Adani Pench Power Ltd. Prv Consent :

Electricity Company Name/Address : MP Madhya Khestra Vidut Vitran Co Save

Old Name of Industry :	NA	No. of Pumps :	0
Location Address :	A-89 , Gandhi nagar , -	Tubewells/Borewells :	0 0
Town/Village :	Bhopal	Latitude/Longitude :	0.0000 0.0000
* District / Tahsil / SIDC :	Bhopal Berasia IA 346da 346d		
Regd. Office Address :	A-89 Gandhi nagar	Capacity of ALL :	
Landline :	Mobile: 9893948549	Nationality :	INDIAN
Email :		WEB Site URL :	
Contact Person :		Project Cost as on Dt :	0 0 Lakhs
Constitution Type :	No Data #Employees: 0	Production Date :	01-01-2020
* Applicant Name with Designation :		Plant Commission :	01-01-2016
Consumer No. :	(Electric Meter)	On East :	
On West :		On North :	
On South :		On South :	
1.TSDF Name :	NOT Regd with any TSDF	9. Ultimate Receiving Body :	
2.CETP Name :	NOT a CETP/Ambr	10. Hazd Wst Storage ? :	<input checked="" type="radio"/> Yes <input type="radio"/> NO
5.Licence SSI/EM No.:		12. Dist - Residential :	0 Mts
4.Area in Sq Mtr:	Plantation 0 Open 0	14. Dist - Highway :	0 Mts
6. Fresh Water Consumptn(KLPD):	0 Industrial 0 Domestic	15. Premise Area-SqMtr :	0.000
7.Waste Water Generation:	0 Industrial 0 Domestic	16. Does it fall in ? :	
8.Waste Wtr Discharge Pt:		17. Env. Clearance ?? :	<input type="radio"/> MOEF <input type="radio"/> SEIAA <input type="radio"/> NA <input type="radio"/> ECC
		18. Applicability of CRZ :	<input type="radio"/> Yes <input type="radio"/> NO
		11. Critical Polluted Area :	<input type="radio"/> No <input type="radio"/> Mts
		13. Dist - Eco Sensitive :	0 Mts

XGN-Extended Green Node 210.212.158.170 (IND) 03-Jun-2016 N I C

Step 4:

Online Payment

The screenshot shows the M.P. Pollution Control Board website. The browser address bar displays `xgn.mp.nic.in/IND/ALL_RTGS_Payments_IND.aspx`. The page header includes the logo, "Tracking Manager", and "M.P. Pollution Control Board". A dropdown menu is set to "All Types of Payments". The main content area shows "17567 - Sealwel Polymers (S)" with radio buttons for "Consent Fees", "LAB", "Miscellaneous", and "WaterCess". A red banner states "Fees Detail : NOC-CCA =42000, Haz Waste =0 / Total Amt = 42000" and "to make Online Payment thru Credit / Debit Card / Net Banking click only e-Pay button". An "e-Pay" button is visible in the top right.

The screenshot shows the BillDesk payment gateway. The browser address bar displays `https://pgi.billdesk.com/pgidsk/ProcessPayment?sessionid=0000a77ycsvJfmlwLZ8qA8PATCA:17lmlhca?wpage=Lt2NBxbF17o1NScvc14Tz5B0`. The page has a sidebar with options: "Credit Card", "Debit Card", "Debit Card + ATM PIN", and "Internet Banking". The "Pay by Credit Card" section is active, featuring a VISA logo and a "Merchant Name" field with "MP Pollution Control Board". The "Payment Amount" is ₹ 1000.00. The form includes fields for "Card Number", "Expiration Date" (Month and Year), "CVV/ CVC", and "Card Holder Name". A red "Make Payment" button and a "Cancel" link are at the bottom. The page is powered by BillDesk.

Step 5:

Online Status Tracking

Dashboard

MP TRADE & INVESTMENT FACILITATION CORP. LTD.
SINGLE WINDOW SYSTEM

Welcome : Vneet S Jaain , Proposal Unique Id END1803 Logout

Dashboard				
User Details				
User Id	Applicant Name	Mobile	Email	Unit Name
I000702	Vneet Jaain	9893948549	narendramaravi@gmail.com	Adani Pench Power Ltd.

Approval Name	Application Current Status	Application Progress	Certificate
> Land Under AKVN			
> Water Connection by AKVN			
> Building Permission by AKVN			
> Consent to Establish (Under Water Act/ Air Act/ Hazardous Waste Rules)	Grant	100% Completed	
> Consent to Operate (Under Water Act/ Air Act/ Hazardous Waste Rules)	Scrutiny @ UnitHd	10% Completed	
> Consent to Operate Renewal (Under Water Act/ Air Act/ Hazardous Waste Rules)			
> Energy Connection(Center Zone)			
> Energy Connection(West Zone)	Application is Registered Successfully	10% Completed	
> Energy Connection(East Zone)			

© 2014 M.P. Trade and Investment Facilitation Corporation Limited. Designed & Developed by CMC Limited.

1:04 PM 6/9/2016

Dashboard

MP TRADE & INVESTMENT FACILITATION CORP. LTD.
SINGLE WINDOW SYSTEM

Welcome : Vneet S Jaain , Proposal Unique Id END1803 Logout

User Details				
User Id	Applicant Name	Mobile	Email	Unit Name
I000702	Vneet Jaain	9893948549	narendramaravi@gmail.com	Adani Pench Power Ltd.

Approval Name	Application Current Status	Application Progress	Certificate
> Land Under AKVN			
> Water Connection by AKVN			
> Building Permission by AKVN			
> Consent to Establish (Under Water Act/ Air Act/ Hazardous Waste Rules)	Grant	100% Completed	
> Consent to Operate (Under Water Act/ Air Act/ Hazardous Waste Rules)	Scrutiny @ UnitHd	10% Completed	
> Consent to Operate Renewal (Under Water Act/ Air Act/ Hazardous Waste Rules)			
> Energy Connection(Center Zone)			
> Energy Connection(West Zone)	Application is Registered Successfully	10% Completed	
> Energy Connection(East Zone)			

SWS Id	I000702	Applicant Name	Vneet Jaain
Unit Name	Adani Pench Power Ltd.	Approval Name	Consent to Operate (Under Water Act/ Air Act/ Hazardous Waste Rules)
S.No.	Status	Status Updated On	
1	Scrutiny @ UnitHd	2016-06-04 10:52:03	

Close

© 2014 M.P. Trade and Investment Facilitation Corporation Limited. Designed & Developed by CMC Limited.

1:26 PM 6/9/2016

Step 6:

Obtaining Approval Certificate Online –

MP TRADE & INVESTMENT FACILITATION CORP. LTD.
SINGLE WINDOW SYSTEM

Welcome : Vneet S Jaain , Proposal Unique Id END1803 Logout

User Id		Applicant Name		Mobile		Email		Unit Name	
1000702		Vneet Jaain		9893948549		narendramaravi@gmail.com		Adani Fench Power Ltd.	

Approval Name	Application Current Status	Application Progress	Certificate
> Land Under AKVN			
> Water Connection by AKVN			
> Building Permission by AKVN			
> Consent to Establish (Under Water Act/ Air Act/ Hazardous Waste Rules)	Grant	100% Completed	
> Consent to Operate (Under Water Act/ Air Act/ Hazardous Waste Rules)	Grant	100% Completed	
> Consent to Operate Renewal (Under Water Act/ Air Act/ Hazardous Waste Rules)			
> Energy Connection(Center Zone)			
> Energy Connection(West Zone)			
> Energy Connection(East Zone)			

Click here to get the approval certificate

e-SIGNED Consent Approval

Consent Order

M.P. Pollution Control Board - Indore
Scheme No. 78, C-11, Plot-2
Aaranya, Vijay Nagar, Indore
Indore
Tele : 0731- 4035618

ORANGE-SMALL	CCA-Fresh	VALIDITY (A/W): 01/04/2017	CONSENT NO: ***	PCB ID: 54553
--------------	-----------	----------------------------	-----------------	---------------

NO: /MPPCB/IND Dated: 27/05/2016

To,
The Occupier,
M/s. Vedansh Pulses Private Ltd.
Survey No. 348/2/3, 348/3/2, Gram Musakhedi, Palda, Indore,
City : INDORE,
Dist : Indore, Tal : Indore, SIDC : I/A Palda Indore

Subject: Grant of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

Ref: Your Consent to Operate Application Receipt No. 209047 Dt. 19/05/2016 and last communication received on Dt.

With reference to your above application for consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent upto 01/04/2017, subject to the fulfillment of the terms & conditions, enclosed with this letter and-

CCA_Fresh.pdf - Adobe Reader

File Edit View Window Help

1 / 5 163%

Fill & Sign Comment

ENCLOSURES:-

- * Conditions under Water Act
- * Conditions under Air Act
- * General conditions

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent at out fall of the unit shall not exceed 0.000 KL/day, and the daily quantity of sewage at out fall of the unit shall not exceed 1.000 KL/day
2. Trade Effluent Treatment:-
The applicant shall provide comprehensive effluent treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD 3 Days 270C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

Seeding from UIDAI server

RAM KISHOR GUPTA
Regional Officer
e-Signed on 06/06/2016 09:07:29
Organic Authentication on AADHAR from UIDAI Server
TPAV # F3R9QPF2KS

Consent No:AW-37613, Validity:01/04/2017, Outward No:12554,06/06/2016, TPAV # F3R9QPF2KS

e-Signed (Physical Signature NOT requires) Page: 1 / 5 N I C

14:11 09-06-2016